

**AMENDMENTS TO THE CLAIMS
PURSUANT TO REVISED 37 CFR § 1.121**

The following is a listing of claims that replaces all prior versions, and listings, of claims in the application:

Claims 1-4 (Cancelled)

5. (Withdrawn) The compound: 7-fluoro-1-methyl-3- methylthio-4-quinolone.
6. (Previously presented) A method of synthesizing 7-fluoro-1-methyl-3- methylthio-4-quinolone, comprising:
 - a) providing: i) 7-fluoro-1-methyl- 3-methylsulfinyl-4-quinolone, and
ii) a reducing agent; and
 - b) reacting, in a solvent, said 7- fluoro-1-methyl-3-methylsulfinyl-4-quinolone with said reducing agent under conditions such that 7-fluoro-1-methyl-3-methylthio-4-quinolone is produced.
7. (Previously presented) A method of synthesizing (S)-(-)-7-fluoro-1-methyl- 3-methylsulfinyl-4-quinolone in enantiomeric excess, comprising:
 - a) providing: i) 7-fluoro-1-methyl- 3-methylsulfinyl-4-quinolone, and
ii) a reducing agent;
 - b) reacting, in a solvent, said 7- fluoro-1-methyl-3-methylsulfinyl-4-quinolone with said reducing agent under conditions such that 7-fluoro-1-methyl-3-methylthio-4-quinolone is produced; and
 - c) treating said 7-fluoro-1-methyl-3-methylthio-4-quinolone with a camphor based reagent under conditions such that (S)-(-)-7-fluoro-1-methyl-3-methylsulfinyl-4-quinolone is produced in enantiomeric excess.
8. (Previously presented) The method, as claimed in claim 7, wherein said camphor based reagent is (1S)-(+)-(10-camphorsulfonyl)oxaziridine.

9. (Previously presented) A method of synthesizing (R)-(+)-7-fluoro-1-methyl-3-methylsulfinyl-4-quinolone in enantiomeric excess, comprising:
- a) providing: i) 7-fluoro-1-methyl- 3-methylsulfinyl-4-quinolone, and
 ii) a reducing agent;
 - b) reacting, in a solvent, said 7- fluoro-1-methyl-3-methylsulfinyl-4-quinolone with said reducing agent under conditions such that 7-fluoro-1-methyl-3-methylthio-4-quinolone is produced; and
 - c) treating said 7-fluoro-1-methyl-3-methylthio-4- quinolone with a camphor based reagent under conditions such that (R)-(+)-7-fluoro-1-methyl- 3-methylsulfinyl-4-quinolone is produced in enantiomeric excess.
10. (Previously presented) The method, as claimed in claim 9, wherein said camphor based reagent is (1R)-(-)-(10-camphorsulfonyl)oxaziridine.